



APPARATUS CLEANING SOG

SCOPE

This guideline shall apply to all members of the Stoney Point Fire Department.

PURPOSE

To establish a departmental policy for the exterior cleaning of vehicles and apparatus.

DEFINITIONS

SHALL - Indicates a mandatory requirement.

STANDARD OPERATING GUIDELINES (SOG) - Documents that help establish how an organization will operate and how its members are expected to carry out specific duties outlined in general terms.

Policy Number

51.005

Page 1 of 3

GUIDELINE

Maintenance

All apparatus and equipment shall be maintained by cleaning and repair if necessary. It will be the Station supervisor's responsibility to ensure that proper cleaning is performed and needed repairs are reported to the Maintenance Officer.

Each unit shall maintain 100% (full) water capacity in the tank.

Each vehicle will maintain 75% (3/4) fuel capacity.

The driver of the unit is responsible for ensuring proper actions have been taken to comply with this SOG.



The driver shall insure all supplies are replaced.

RESPONSIBILITY:

All members have the responsibility to maintain vehicles and apparatus in a clean condition. Members will familiarize themselves with the provisions of this policy and practice them.

PROCEDURES:

All members will take the necessary actions and steps to keep exterior surfaces of vehicles and fire apparatus clean, and free of dirt and foreign substances to give vehicles and fire apparatus a clean appearance.

Members will obtain and maintain the supplies and materials required to clean vehicles and fire apparatus exteriors. These supplies and materials may include soap, wax, rags, towels, vehicle brushes, tire brushes, mitts, sponges, chamois, garden hose, nozzle, and bucket.

Before touching the exterior surfaces with a cloth or brush, rinse or otherwise wet the vehicle or apparatus.

In certain instances, plain water may be sufficient to clean the surface.

However, members are encouraged to use soap and water every time. Mix the proportion of soap and water according to the instructions found on the soap container label.

Wet rinse the surfaces before the application of the soap/water mixture. Thoroughly rinse the mixture off before drying.

Only use towels, mitts or vehicle brushes to clean exterior vehicle or fire apparatus surfaces. If the cleaning articles have been used for other work, or if they can damage painted surfaces because they are soiled or deteriorated, do not use them to clean the exterior surfaces of vehicles or apparatus.

When drying cleaned surfaces, only use the furnished rags, towels or chamois. Only use chamois on painted, chrome or polished stainless steel surfaces.

Do not use chamois on tread plate or walking surfaces. Use cloth or paper towels to dry glass and window surfaces.

Only use other cleaning agents such as bug and tar remover for their intended purpose. Use extreme care and caution when cleaning emblems, tapes and decorative pin striping.

Policy Number

51.005

Page 2 of 3



Night washing of Fire Apparatus

Sunday through Thursday after midnight apparatus washing will be limited to rinse off and insuring the apparatus is in service to respond to additional calls.

Friday and Saturday night units will be cleaned thoroughly

Inclement Weather vehicle washing

During times of freezing weather units will washed on back apron next to storage building to limit the build up of ice in areas of pedestrian traffic.

Policy Number

51.005

Page 3 of 3